





PULL OPEN TYPE - 2-D RING




CD123-2-10/15	80	13	19	112	123	21	15	700	13.4
CD123-2-15/15	80	16	23	112	123	24.5	15	700	15.0
CD123-2-15/17	80	16	24.5	114	124	25	17	600	14.5
CD123-2-15/20	80	16	24.5	114	124	25	20	552	14.5
CD123-2-20/15	80	19	26	112	123	29.5	15	700	15.8
CD123-2-20/17	80	20	28	114	124	30	17	600	15.4
CD123-2-20/20	80	20	28	114	124	30	20	552	15.3
CD123-2-25/15	80	25	28	112	123	35	15	700	16.5
CD123-2-25/17	80	25	30	114	124	30.5	17	600	16.0
CD123-2-25/20	80	25	30	114	124	35.5	20	552	15.9
CD123-2-27/20	80	27	32	114	124	37	20	552	16.4
CD123-2-30/20	80	30	30	114	124	39	20	552	17.6
CD133-2-15/20	80	16	24.5	122	133	25	20	552	16.2
CD133-2-20/20	80	20	28	122	133	30	20	552	17.0
CD133-2-25/20	80	25	30	122	133	35.5	20	460	14.9
CD133-2-25/26	80	25	32.5	122	134	37	26	400	18.0
CD133-2-27/20	80	27	32	122	133	37	20	460	16.0
CD133-2-30/20	80	30	30	122	133	39	20	460	16.3
CD133-2-30/26	80	30	36	122	134	41.5	26	360	17.6
CD133-2-35/26	80	35	40	122	134	47	26	288	17.3
CD133-2-40/26	80	40	41.5	122	134	52.5	26	288	18.3
CD133-2-45/26	80	45	44.5	122	134	56.5	26	288	19.2
CD133-2-45/29	80	45	44.5	122	134	56.5	28.5	272	20.1
CD133-2-45/36	80	45	50.5	122	135	59	36	192	16.5
CD133-2-50/26	80	50	47.5	122	134	61.5	26	288	19.5
CD133-2-50/29	80	50	47.5	122	134	61.5	28.5	272	20.9
CD133-2-53/36	80	50	54	122	135	66.5	36	192	18.8
CD133-2-55/36	80	55	56	122	135	71	36	192	19.0
CD133-2-63/36	80	65	61.5	122	135	81	36	156	19.0




PULL OPEN TYPE - 2-Q RING




CQ110-2-20/20	50	20	27	101.6	112	30	20	720	18.2
CQ123-2-15/20	80	16	24	114	124	25	20	552	14.6
CQ123-2-20/20	80	20	27	114	124	30	20	552	15.4
CQ123-2-25/20	80	25	26.5	114	124	35.5	20	552	15.7
CQ133-2-15/20	80	16	24	122	133	25	20	552	16.3
CQ133-2-20/20	80	20	27	122	133	30	20	552	17.1
CQ133-2-25/20	80	25	26.5	122	133	35.5	20	552	17.5
CQ133-2-25/26	80	25	28	122	134	37	26	400	17.8
CQ133-2-30/26	80	30	32	122	134	41.5	26	400	19.4
CQ133-2-35/26	80	35	32.5	122	134	47	26	320	18.8
CQ133-2-40/26	80	40	33.5	122	134	52.5	26	288	18.0
CQ133-2-45/26	80	45	34	122	134	56.5	26	320	20.4
CQ133-2-45/29	80	45	34	122	134	56.5	28.5	272	19.9
CQ133-2-45/36	80	45	41	122	135	59	36	192	16.3
CQ133-2-50/26	80	50	34.5	122	134	61.5	26	320	20.8
CQ133-2-50/29	80	50	34.5	122	134	61.5	28.5	272	20.4
CQ133-2-50/36	80	50	41.5	122	135	66.5	36	240	22.7
CQ133-2-55/36	80	55	41	122	135	71	36	192	18.7
CQ133-2-63/36	80	65	41.5	122	135	81	36	156	18.2




PULL OPEN TYPE - 2-R RING



CR110-2-25/20	50	19	29.5	101.6	112	30	20	720	18.0
CR123-2-13/15	80	9	17	112	123	17	15	756	13.7
CR123-2-16/15	80	11	20.7	112	123	21	15	756	14.4
CR123-2-16/17	80	11	21	114	124	21	17	600	14.0
CR123-2-16/20	80	11	21	114	124	21	20	552	14.0
CR123-2-20/15	80	16	23.5	112	123	24.5	15	700	14.8
CR123-2-20/17	80	16	25	114	124	25	17	600	14.4
CR123-2-20/20	80	16	25	114	124	25	20	552	14.4
CR123-2-25/15	80	19	28	112	123	29.5	15	700	15.8
CR123-2-25/17	80	19	29.5	114	124	30	17	600	15.4
CR123-2-25/20	80	19	29.5	114	124	30	20	552	15.3
CR123-2-30/20	80	25	34.5	114	124	35.5	20	552	16.1
CR123-2-38/26A	57	32	43.5	113.4	124	44	26	360	17.0
CR123-2-50/26A	57	45	58	113.4	124	59	26	320	19.5
CR133-2-16/20	80	11	21	122	133	21	20	576	16.4
CR133-2-20/20	80	16	25	122	133	25	20	552	16.2
CR133-2-25/20	80	19	29.5	122	133	30	20	500	15.5
CR133-2-25/26	80	19.8	31.2	122	134	31	26	360	15.6
CR133-2-30/20	80	25	34.5	122	133	35.5	20	460	14.9
CR133-2-32/26	80	26.5	37	122	134	37	26	360	16.4
CR133-2-38/26	80	32	43.5	122	134	44	26	360	18.0
CR133-2-45/26	80	38	52	122	134	52	26	272	16.5
CR133-2-50/26	80	45	58	122	134	59	26	320	21.7
CR133-2-50/36	80	42	57	122	135	57	36	192	15.7
CR211-2-25/20	103	19	29.5	196.8	209	30	20	300	13.0
CR211-2-30/20	103	25	34.5	196.8	209	35.5	20	300	15.0




PULL OPEN TYPE - 2-S RING




CS133-2-20/20	80	19	34	122	133	26	20	400	15.5
CS133-2-25/20	80	24	37	122	133	31	20	400	16.0
CS133-2-32/26	80	30	46	122	134	39	26	360	20.8
CS133-2-38/26	80	36	51	122	134	45	26	320	19.6
CS133-2-45/26	80	43	53	122	134	52	26	300	19.0
CS133-2-50/36	80	48	65	122	135	62	36	200	18.5
CS133-2-65/36	80	63	72	122	135	73	36	160	17.7

[Next >](#)




PULL OPEN TYPE - 3-D RING



CD211-3-15/20	70/70	16	24.5	200	211	25	20	322	16.1
CD211-3-20/20	70/70	20	28	200	211	30	20	322	16.8
CD211-3-25/20	70/70	25	30	200	211	35.5	20	322	17.3
CD211-3-25/26	70/70	25	32.5	200	212	37	26	200	15.1
CD211-3-27/20	70/70	27	32	200	211	37	20	322	18.3
CD211-3-30/20	70/70	30	30	200	211	39	20	322	19.0
CD211-3-30/26	70/70	30	36	200	212	41.5	26	204	16.5
CD211-3-35/26	70/70	35	40	200	212	47	26	204	19.7
CD211-3-40/26	70/70	40	41.5	200	212	52.5	26	170	17.5
CD211-3-45/26	70/70	45	44.5	200	212	56.5	26	170	18.3
CD211-3-50/26	70/70	50	47.5	200	212	61.5	26	170	19.0
CD242-3-15/20	89/89	16	24.5	231	242	25	20	300	16.4
CD242-3-20/20	89/89	20	28	231	242	30	20	300	17.1
CD242-3-25/20	89/89	25	30	231	242	35.5	20	210	12.7
CD242-3-25/26	89/89	25	32.5	231	242	37	26	200	17.1
CD242-3-27/20	89/89	27	32	231	242	37	20	210	13.5
CD242-3-30/20	89/89	30	30	231	242	39	20	210	13.9
CD242-3-30/26	89/89	30	36	231	242	41.5	26	200	17.8
CD242-3-35/26	89/89	35	40	231	242	47	26	160	16.8
CD242-3-40/26	89/89	40	41.5	231	242	52.5	26	160	18.1
CD242-3-45/26	89/89	45	44.5	231	242	56.5	26	160	18.8
CD242-3-50/26	89/89	50	47.5	231	242	61.5	26	160	19.0

[Next >](#)

< Previous




CD264-3-15/20	108/108	16	24.5	253	264	25	20	266	15.5
CD264-3-20/20	108/108	20	28	253	264	30	20	266	16.1
CD264-3-25/20	108/108	25	30	253	264	35.5	20	228	14.3
CD264-3-25/26	108/108	25	32.5	253	264	37	26	180	16.3
CD264-3-27/20	108/108	27	32	253	264	37	20	228	15.1
CD264-3-30/20	108/108	30	30	253	264	39	20	228	15.6
CD264-3-30/26	108/108	30	36	253	264	41.5	26	150	14.2
CD264-3-35/26	108/108	35	40	253	264	47	26	120	13.7
CD264-3-40/26	108/108	40	41.5	253	264	52.5	26	120	14.3
CD264-3-45/26	108/108	45	44.5	253	264	56.5	26	120	14.9
CD264-3-50/26	108/108	50	47.5	253	264	61.5	26	160	19.7
CD280-3-15/20	108/108	16	24.5	270	282	25	20	288	18.4
CD280-3-20/20	108/108	20	28	270	282	30	20	240	16.1
CD280-3-25/20	108/108	25	30	270	282	35.5	20	240	16.5
CD280-3-25/26	108/108	25	32.5	270	282	37	26	200	19.1
CD280-3-27/20	108/108	27	32	270	282	37	20	240	17.5
CD280-3-30/20	108/108	30	30	270	282	39	20	240	18.0
CD280-3-30/26	108/108	30	36	270	282	41.5	26	180	17.8
CD280-3-35/26	108/108	35	40	270	282	47	26	144	17.0
CD280-3-40/26	108/108	40	41.5	270	282	52.5	26	144	18.1
CD280-3-45/26	108/108	45	44.5	270	282	56.5	26	160	20.7
CD280-3-50/26	108/108	50	47.5	270	282	61.5	26	144	18.9
CD280-3-53/36	108/108	50	54	268	280	66.5	36	120	22.8
CD280-3-53/45	108/108	50	60	268	280	69	45	100	22.5
CD280-3-55/36	108/108	55	56	268	280	71	36	120	23.0
CD280-3-63/36	108/108	65	61.5	268	280	81	36	78	17.5

< Previous

[Next >](#)




PULL OPEN TYPE - 3-Q RING



CQ211-3-15/20	70/70	16	24	200	211	25	20	322	16.1
CQ211-3-20/20	70/70	20	27	200	211	30	20	322	16.8
CQ211-3-25/20	70/70	25	26.5	200	211	35.5	20	322	17.1
CQ211-3-25/26	70/70	25	28	200	212	37	26	200	15.1
CQ211-3-30/26	70/70	30	32	200	212	41.5	26	204	16.5
CQ211-3-35/26	70/70	35	32.5	200	212	47	26	204	19.7
CQ211-3-40/26	70/70	40	33.5	200	212	52.5	26	170	17.5
CQ211-3-45/26	70/70	45	34	200	212	56.5	26	160	16.8
CQ211-3-50/26	70/70	50	34.5	200	212	61.5	26	160	17.3
CQ242-3-15/20	89/89	16	24	231	242	25	20	300	16.4
CQ242-3-20/20	89/89	20	27	231	242	30	20	300	17.1
CQ242-3-25/20	89/89	25	26.5	231	242	35.5	20	252	14.9
CQ242-3-25/26	89/89	25	28	231	242	37	26	200	17.1
CQ242-3-30/26	89/89	30	32	231	242	41.5	26	200	17.8
CQ242-3-35/26	89/89	35	32.5	231	242	47	26	160	16.8
CQ242-3-40/26	89/89	40	33.5	231	242	52.5	26	160	18.1
CQ242-3-45/26	89/89	45	34	231	242	56.5	26	160	18.3
CQ242-3-50/26	89/89	50	34.5	231	242	61.5	26	160	19.0

[Next >](#)

< Previous




CQ264-3-15/20	108/108	16	24	253	264	25	20	266	15.5
CQ264-3-20/20	108/108	20	27	253	264	30	20	266	16.1
CQ264-3-25/20	108/108	25	26.5	253	264	35.5	20	228	14.3
CQ264-3-25/26	108/108	25	28	253	264	37	26	180	16.3
CQ264-3-30/26	108/108	30	32	253	264	41.5	26	150	14.2
CQ264-3-35/26	108/108	35	32.5	253	264	47	26	120	13.7
CQ264-3-40/26	108/108	40	33.5	253	264	52.5	26	120	14.3
CQ264-3-45/26	108/108	45	34	253	264	56.5	26	120	14.6
CQ264-3-50/26	108/108	50	34.5	253	264	61.5	26	160	19.2
CQ280-3-15/20	108/108	16	24	270	282	25	20	288	18.4
CQ280-3-20/20	108/108	20	27	270	282	30	20	240	16.0
CQ280-3-25/20	108/108	25	26.5	270	282	35.5	20	240	16.5
CQ280-3-25/26	108/108	25	28	270	282	37	26	200	18.9
CQ280-3-30/26	108/108	30	32	270	282	41.5	26	180	17.8
CQ280-3-35/26	108/108	35	32.5	270	282	47	26	144	17.0
CQ280-3-40/26	108/108	40	33.5	270	282	52.5	26	144	17.8
CQ280-3-45/26	108/108	45	34	270	282	56.5	26	160	20.2
CQ280-3-50/26	108/108	50	34.5	270	282	61.5	26	144	18.4
CQ280-3-50/36	108/108	50	41.5	268	280	66.5	36	120	22.4
CQ280-3-55/36	108/108	55	41	268	280	71	36	120	22.8
CQ280-3-63/36	108/108	65	41.5	268	280	81	36	78	16.9

< Previous

[Next >](#)





PULL OPEN TYPE - 3-R RING



CR211-3-13/15	70/70	9	17	172.6	183	17	15	576	16.6
CR211-3-16/15	70/70	11	20.7	172.6	183	21	15	576	17.1
CR211-3-16/20	70/70	11	21	200	211	21	20	322	15.6
CR211-3-20/15	70/70	16	23.5	172.6	183	24.5	15	420	14.9
CR211-3-20/20	70/70	16	25	200	211	25	20	322	16.0
CR211-3-25/20	70/70	19	29.5	200	211	30	20	322	16.7
CR211-3-25/26	70/70	19.8	31.2	200	212	31	26	240	17.3
CR211-3-32/26	70/70	26.5	37	200	212	37	26	204	15.5
CR211-3-38/26	70/70	32	43.5	200	212	44	26	204	16.8
CR211-3-45/26	70/70	38	52	200	212	52	26	160	15.7
CR211-3-50/26	70/70	45	58	200	212	59	26	128	14.3
CR211-3-50/36	70/70	42	57	200	212	57	36	120	15.8
CR242-3-16/20	89/89	11	21	231	242	21	20	350	18.5
CR242-3-20/20	89/89	16	25	231	242	25	20	300	16.4
CR242-3-25/20	89/89	19	29.5	231	242	30	20	250	15.0
CR242-3-25/26	89/89	19.8	31.2	231	242	31	26	240	18.9
CR242-3-25/26A	95/95	19.8	31.2	231	242	31	26	240	18.9
CR242-3-32/26	89/89	26.5	37	231	242	37	26	200	17.2
CR242-3-32/26A	95/95	26.5	37	231	242	37	26	200	17.2
CR242-3-38/26	89/89	32	43.5	231	242	44	26	200	18.0
CR242-3-38/26A	95/95	32	43.5	231	242	44	26	200	18.0
CR242-3-45/26	89/89	38	52	231	242	52	26	160	17.0
CR242-3-45/26A	95/95	38	52	231	242	52	26	160	17.0
CR242-3-50/26	89/89	45	58	231	242	59	26	160	18.8
CR242-3-50/26A	95/95	45	58	231	242	59	26	160	18.8
CR242-3-50/36	89/89	42	57	231	243	57	36	120	17.7

[Next >](#)

< Previous




CR264-3-16/20	108/108	11	21	253	264	21	20	300	17.0
CR264-3-20/20	108/108	16	25	253	264	25	20	266	15.5
CR264-3-25/20	108/108	19	29.5	253	264	30	20	250	15.2
CR264-3-25/26	108/108	19.8	31.2	253	264	31	26	168	14.3
CR264-3-32/26	108/108	26.5	37	253	264	37	26	180	16.4
CR264-3-38/20	108/108	31	42.5	253	264	45	20	252	17.0
CR264-3-38/26	108/108	32	43.5	253	264	44	26	180	17.1
CR264-3-45/26	108/108	38	52	253	264	52	26	120	14.1
CR264-3-50/26	108/108	45	58	253	264	59	26	120	15.1
CR280-3-16/20	108/108	11	21	270	282	21	20	300	18.7
CR280-3-20/20	108/108	16	25	270	282	25	20	288	18.4
CR280-3-25/20	108/108	19	29.5	270	282	30	20	240	16.0
CR280-3-25/26	108/108	19.8	31.2	270	282	31	26	200	17.7
CR280-3-32/26	108/108	26.5	37	270	282	37	26	180	17.4
CR280-3-38/26	108/108	32	43.5	270	282	44	26	180	18.1
CR280-3-45/26	108/108	38	52	270	282	52	26	160	19.3
CR280-3-50/26	108/108	45	58	270	282	59	26	136	18.2
CR280-3-50/36	108/108	42	57	268	280	57	36	120	19.1
CR280-3-50/45	108/108	42	60	268	280	59	45	100	20.0
CR280-3-60/45	108/108	53	69	268	280	69	45	80	18.3


< Previous




PULL OPEN TYPE - 3-S RING



CS211-3-20/20	70/70	19	34	200	211	26	20	240	14.9
CS211-3-25/20	70/70	24	37	200	211	31	20	240	15.4
CS211-3-25/26	70/70	25	40	200	212	32	26	200	16.9
CS211-3-32/26	70/70	30	46	200	212	39	26	200	18.9
CS211-3-38/26	70/70	36	51	200	212	45	26	160	16.1
CS211-3-45/26	70/70	43	53	200	212	52	26	150	15.6
CS211-3-50/36	70/70	52	65	200	212	62	36	100	14.4
CS211-3-65/36	70/70	63	72	200	212	73	36	80	14.8
CS242-3-20/20	89/89	19	34	231	242	26	20	240	16.3
CS242-3-25/20	89/89	24	37	231	242	31	20	240	16.8
CS242-3-25/26	89/89	25	40	231	242	32	26	200	18.6
CS242-3-32/26	89/89	30	46	231	242	39	26	180	18.7
CS242-3-38/26	89/89	36	51	231	242	45	26	160	17.5
CS242-3-45/26	89/89	43	53	231	242	52	26	150	16.9
CS242-3-50/36	89/89	52	65	231	243	62	36	100	16.4
CS242-3-65/36	89/89	63	72	231	243	73	36	80	16.3
CS280-3-20/20	108/108	19	34	270	282	26	20	240	17.9
CS280-3-25/20	108/108	24	37	270	282	31	20	200	15.5
CS280-3-25/26	108/108	25	40	270	282	32	26	180	17.3
CS280-3-32/26	108/108	30	46	270	282	39	26	150	17.4
CS280-3-38/26	108/108	36	51	270	282	45	26	120	14.7
CS280-3-45/26	108/108	43	53	270	282	52	26	120	15.0
CS280-3-50/36	108/108	52	65	268	280	62	36	100	17.6
CS280-3-65/36	108/108	63	72	268	280	73	36	80	17.1
CS280-3-76/45	108/108	76	85	268	280	86	45	64	17.4
CS280-3-89/45	108/108	89	87	268	280	99	45	64	21.0
CS280-3-104/45	108/108	104	98	268	280	120	45	48	20.1




PULL OPEN TYPE - 4-D RING




CD211-4-15/20	45/65/45	16	24.5	200	212	25	20	322	17.2
CD211-4-20/20	45/65/45	20	28	200	212	30	20	322	17.4
CD211-4-25/20	45/65/45	25	30	200	212	35.5	20	300	17.6
CD211-4-25/26	45/65/45	25	32.5	200	213	37	26	204	17.5
CD211-4-27/20	45/65/45	27	32	200	212	37	20	300	18.6
CD211-4-30/20	45/65/45	30	30	200	212	39	20	300	19.2
CD211-4-30/26	45/65/45	30	36	200	213	41.5	26	204	18.3
CD211-4-35/26	45/65/45	35	40	200	213	47	26	170	18.1
CD211-4-40/26	45/65/45	40	41.5	200	213	52.5	26	170	19.2
CD211-4-45/26	45/65/45	45	44.5	200	213	56.5	26	160	19.1
CD211-4-50/26	45/65/45	50	47.5	200	213	61.5	26	136	17.0
CD297-4-15/15	80/80/80	16	23	272.6	283	24.5	15	300	16.5
CD297-4-15/20	80/80/80	16	24.5	282	294	25	20	240	17.4
CD297-4-20/15	80/80/80	19	26	272.6	283	29.5	15	300	17.4
CD297-4-20/20	80/80/80	20	28	282	294	30	20	240	18.1
CD297-4-25/15	80/80/80	25	28	272.6	283	35	15	300	18.3
CD297-4-25/20	80/80/80	25	30	282	294	35.5	20	240	18.7
CD297-4-25/26	80/80/80	25	32.5	282	294	37	26	144	16.0
CD297-4-27/20	80/80/80	27	32	282	294	37	20	240	19.6
CD297-4-30/20	80/80/80	30	30	282	294	39	20	240	20.3
CD297-4-30/26	80/80/80	30	36	282	294	41.5	26	144	16.4
CD297-4-35/26	80/80/80	35	40	282	294	47	26	144	19.0
CD297-4-40/26	80/80/80	40	41.5	282	294	52.5	26	108	15.9
CD297-4-45/26	80/80/80	45	44.5	282	294	56.5	26	108	16.3
CD297-4-45/29	80/80/80	45	44.5	282	294	56.5	28.5	120	20.1
CD297-4-45/36	80/80/80	45	50.5	291	304	59	36	78	15.6
CD297-4-50/26	80/80/80	50	47.5	282	294	61.5	26	108	16.7
CD297-4-50/29	80/80/80	50	47.5	282	294	61.5	28.5	120	20.4
* CD297-4-53/36C	80/80/80	50	54	291	304	66.5	36	78	18.0
* CD297-4-55/36C	80/80/80	55	56	291	304	71	36	78	18.4
* CD297-4-63/36C	80/80/80	65	61.5	291	304	81	36	78	20.5

* C=WITH CENTRAL RIVET HOLE




PULL OPEN TYPE - 4-Q RING




CQ211-4-16/20	45/65/45	16	24	200	212	25	20	322	17.2
CQ211-4-20/20	45/65/45	20	27	200	212	30	20	322	18.1
CQ211-4-25/20	45/65/45	25	26.5	200	212	35.5	20	300	17.4
CQ211-4-25/26	45/65/45	25	28	200	213	37	26	204	17.5
CQ211-4-30/26	45/65/45	30	32	200	213	41.5	26	204	18.3
CQ211-4-35/26	45/65/45	35	32.5	200	213	47	26	170	18.1
CQ211-4-40/26	45/65/45	40	33.5	200	213	52.5	26	170	19.2
CQ211-4-45/26	45/65/45	45	34	200	213	56.5	26	160	19.1
CQ211-4-50/26	45/65/45	50	34.5	200	213	61.5	26	130	15.7
CQ297-4-15/20	80/80/80	16	24	282	294	25	20	240	17.4
CQ297-4-20/20	80/80/80	20	27	282	294	30	20	240	18.1
CQ297-4-25/20	80/80/80	25	26.5	282	294	35.5	20	240	18.4
CQ297-4-25/26	80/80/80	25	28	282	294	37	26	144	16.0
CQ297-4-30/26	80/80/80	30	32	282	294	41.5	26	144	16.4
CQ297-4-30/26A	76.2/88.9/76.2	29	29	282	294	42	26	150	16.3
CQ297-4-35/26	80/80/80	35	32.5	282	294	47	26	144	18.7
CQ297-4-40/26	80/80/80	40	33.5	282	294	52.5	26	108	15.6
CQ297-4-45/26	80/80/80	45	34	282	294	56.5	26	108	16.0
CQ297-4-45/29	80/80/80	45	34	282	294	56.5	28.5	120	19.9
CQ297-4-45/36	80/80/80	45	41	291	304	59	36	78	15.4
CQ297-4-50/26	80/80/80	50	34.5	282	294	61.5	26	108	16.1
CQ297-4-50/29	80/80/80	50	34.5	282	294	61.5	28.5	120	20.0
* CQ297-4-50/36C	80/80/80	50	41.5	291	304	66.5	36	78	17.7
* CQ297-4-55/36C	80/80/80	55	41	291	304	71	36	78	18.2
* CQ297-4-63/36C	80/80/80	65	41.5	291	304	81	36	78	19.7

* C=WITH CENTRAL RIVET HOLE

[Next >](#)




PULL OPEN TYPE - 4-R RING



CR152-4-16/20	21/70/21	11	21	144	155	21	20	500	21.0
CR152-4-20/20	21/70/21	16	25	144	155	25	20	400	17.7
CR152-4-25/20	21/70/21	19	29.5	144	155	30	20	400	18.9
CR152-4-30/20	21/70/21	25	34.5	144	155	35.5	20	400	20.1
CR178-4-38/26	38.1/50.1/38.1	32	43.5	168	179	44	26	200	15.6
CR178-4-50/26	38.1/50.1/38.1	45	58	168	179	59	26	180	19.7
CR211-4-16/20	45/65/45	11	21	200	212	21	20	322	16.5
CR211-4-20/20	45/65/45	16	25	200	212	25	20	322	17.1
CR211-4-25/20	45/65/45	19	29.5	200	212	30	20	322	18.0
CR211-4-25/26	45/65/45	19.8	31.2	200	213	31	26	240	18.2
CR211-4-32/26	45/65/45	26.5	37	200	213	37	26	204	17.1
CR211-4-38/26	45/65/45	32	43.5	200	213	44	26	204	18.7
CR211-4-45/26	45/65/45	38	52	200	213	52	26	160	17.0
CR211-4-50/26	45/65/45	45	58	200	213	59	26	160	18.8
CR220-4-16/17	60/60/60	11	21	209.6	220	21	17	300	14.7
CR220-4-20/17	60/60/60	16	25	209.6	220	25	17	300	15.2
CR220-4-25/17	60/60/60	19	29.5	209.6	220	30	17	300	15.9

[Next >](#)


< Previous




CR242-4-25/26	80/35/80	19.8	31.2	231	242	31	26	240	20.2
CR242-4-32/26	80/35/80	26.5	37	231	242	37	26	200	18.5
CR242-4-38/26	80/35/80	32	43.5	231	242	44	26	200	19.6
CR242-4-45/26	80/35/80	38	52	231	242	52	26	160	18.9
CR242-4-50/26	80/35/80	45	58	231	242	59	26	160	21.1
CR297-4-13/15	80/80/80	9	17	272.6	283	17	15	384	18.5
CR297-4-16/15	80/80/80	11	20.7	272.6	283	21	15	384	19.1
CR297-4-16/20	80/80/80	11	21	282	294	21	20	240	17.0
CR297-4-20/15	80/80/80	16	23.5	272.6	283	24.5	15	300	16.4
CR297-4-20/20	80/80/80	16	25	282	294	25	20	240	17.4
CR297-4-25/15	80/80/80	19	28	272.6	283	29.5	15	300	17.2
CR297-4-25/20	80/80/80	19	29.5	282	294	30	20	240	18.0
CR297-4-25/26	80/80/80	19.8	31.2	282	294	31	26	180	18.2
CR297-4-30/20	80/80/80	25	34.5	282	294	35.5	20	240	18.8
CR297-4-32/26	80/80/80	26.5	37	282	294	37	26	144	16.0
CR297-4-38/26	80/80/80	32	43.5	282	294	44	26	144	16.7
CR297-4-45/26	80/80/80	38	52	282	294	52	26	150	20.4
CR297-4-50/26	80/80/80	45	58	282	294	59	26	102	15.9
* CR297-4-50/36C	80/80/80	42	57	291	304	57	36	78	15.0

< Previous

* C=WITH CENTRAL RIVET HOLE




PULL OPEN TYPE - 4-S RING



CS297-4-20/20	80/80/80	19	34	282	294	26	20	240	20.3
CS297-4-25/20	80/80/80	24	37	282	294	31	20	240	21.0
CS297-4-32/26	80/80/80	30	46	282	294	39	26	120	16.1
CS297-4-38/26	80/80/80	36	51	282	294	45	26	120	16.9
CS297-4-45/26	80/80/80	43	53	282	294	52	26	120	17.3
CS297-4-50/36	80/80/80	52	65	291	304	62	36	100	20.8
CS297-4-65/36	80/80/80	63	72	291	304	73	36	80	19.9




PULL OPEN TYPE - 6-R RING



CR220-6-16/15	19/19/70/19/19	12	21	200	222	21.5	15	400	18.5
CR229-6-16/15	19/19/95/19/19	12	21	208.7	229	21	15	400	19.0



PULL OPEN TYPE - 6-S RING



CS222-6-25/26	19/19/95.3/19/19	25	40	210	222	32	26	160	17.5
CS222-6-32/26	19/19/95.3/19/19	30	46	210	222	39	26	160	21.1
CS222-6-38/26	19/19/95.3/19/19	36	51	210	222	45	26	160	22.6
CS222-6-45/26	19/19/95.3/19/19	43	53	210	222	52	26	150	22.0